

**BIRDS RECORDED AT AND NEAR COPAL TREE LODGE  
TOLEDO DISTRICT, BELIZE**

FOLLOW COLOR CODE

<b>TOTAL FOR BELCAMPO:</b>	<b>255</b>		
TOTAL WITHIN 10 MILES OF BELCAMPO:	400		
TOTAL FOR TOLEDO DISTRICT (GRAY):	500		
<b>Species</b>	<b>Abund</b>	<b>Status</b>	<b>Habitat or Locality</b>
<b>Great Tinamou <i>Tinamus major</i></b>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Little Tinamou <i>Crypturellus soui</i></b>	<b>C</b>	<b>resident</b>	<b>scrub</b>
Slaty-breasted Tinamou <i>Crypturellus boucardi</i>	UC	resident	rainforest
Least Grebe <i>Tachybaptus dominicus</i>	L	resident	lagoons, rivers
Pied-billed Grebe <i>Podilymbus podiceps</i>	L	resident	lagoons, ponds
Brown Booby <i>Sula leucogaster</i>	UC	visitor	ocean, cayes
American White Pelican <i>Pelecanus erythrorhynchos</i>	X	vagrant	shrimp farms
Brown Pelican <i>Pelecanus occidentalis</i>	VC	resident	coastline, ocean
<b>Neotropic Cormorant <i>Phalacrocorax brasilianus</i></b>	<b>C</b>	<b>resident</b>	<b>rivers</b>
Double-crested Cormorant <i>Phalacrocorax auritus</i>	X	vagrant	coastline (cayes)
<b>Anhinga <i>Anhinga anhinga</i></b>	<b>C</b>	<b>resident</b>	<b>rivers</b>
<b>Magnificent Frigatebird <i>Fregata magnificens</i></b>	<b>VC</b>	<b>visitor</b>	<b>coastline, ocean</b>
Pinnated Bittern <i>Botaurus pinnatus</i>	R	resident?	marshes
American Bittern <i>Botaurus lentiginosus</i>	O	winter	marshes
Least Bittern <i>Ixobrychus exilis</i>	UC	winter	marshes
<b>Bare-throated Tiger-Heron <i>Tigrisoma mexicanum</i></b>	<b>UC</b>	<b>resident</b>	<b>marshes</b>
<b>Great Blue Heron <i>Ardea herodias</i></b>	<b>C</b>	<b>visitor</b>	<b>wetlands</b>
<b>Great Egret <i>Ardea alba</i></b>	<b>C</b>	<b>visitor</b>	<b>wetlands</b>
Snowy Egret <i>Egretta thula</i>	C	visitor	wetlands
<b>Little Blue Heron <i>Egretta caerulea</i></b>	<b>C</b>	<b>visitor</b>	<b>wetlands</b>
Tricolored Heron <i>Egretta tricolor</i>	UC	visitor	wetlands
Reddish Egret <i>Egretta rufescens</i>	UC	visitor	shrimp farms
<b>Cattle Egret <i>Bubulcus ibis</i></b>	<b>VC</b>	<b>visitor</b>	<b>fields</b>
<b>Green Heron <i>Butorides virescens</i></b>	<b>C</b>	<b>resident</b>	<b>wetlands</b>
Agami Heron <i>Agamia agami</i>	L	resident	mangroves
Black-crowned Night-Heron <i>Nycticorax nycticorax</i>	UC	resident	wetlands
<b>Yellow-crowned Night-Heron <i>Nyctanassa violacea</i></b>	<b>C</b>	<b>resident</b>	<b>wetlands</b>
Boat-billed Heron <i>Cochlearius cochlearius</i>	L	resident	wetlands
White Ibis <i>Eudocimus albus</i>	UC	resident	wetlands
Scarlet Ibis <i>Eudocimus ruber</i>	X	vagrant	Punta Ycacos
Glossy Ibis <i>Plegadis falcinellus</i>	X	vagrant	Punta Gorda
Roseate Spoonbill <i>Platalea ajaja</i>	UC	visitor	wetlands
Jabiru <i>Jabiru mycteria</i>	O	visitor	wetlands
<b>Wood Stork <i>Mycteria americana</i></b>	<b>UC</b>	<b>resident</b>	<b>wetlands</b>
<b>Black Vulture <i>Coragyps atratus</i></b>	<b>VC</b>	<b>resident</b>	<b>open country</b>
<b>Turkey Vulture <i>Cathartes aura</i></b>	<b>VC</b>	<b>resident</b>	<b>open country</b>
<b>Lesser Yellow-headed Vulture <i>Cathartes burrovianus</i></b>	<b>C</b>	<b>resident</b>	<b>savanna, marshes</b>
<b>King Vulture <i>Sarcoramphus papa</i></b>	<b>UC</b>	<b>resident</b>	<b>open country</b>
Greater Flamingo <i>Phoenicopterus ruber</i>	X	vagrant	Aguacaliente
Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	L	visitor	marshes
<b>Muscovy Duck <i>Cairina moschata</i></b>	<b>UC</b>	<b>resident</b>	<b>rivers, marshes</b>
American Wigeon <i>Anas americana</i>	X	vagrant	Aguacaliente
<b>Blue-winged Teal <i>Anas discors</i></b>	<b>UC</b>	<b>winter</b>	<b>wetlands</b>
Cinnamon Teal <i>Anas cyanoptera</i>	X	vagrant	Aguacaliente
Northern Shoveler <i>Anas clypeata</i>	X	vagrant	Indian Creek
Ring-necked Duck <i>Aythya collaris</i>	X	vagrant	ponds
Lesser Scaup <i>Aythya affinis</i>	X	vagrant	ponds
<b>Osprey <i>Pandion haliaetus</i></b>	<b>UC</b>	<b>visitor</b>	<b>coastline (nests cayes)</b>
Gray-headed Kite <i>Leptodon cayanensis</i>	UC	resident	rainforest
<b>Hook-billed Kite <i>Chondrohierax uncinatus</i></b>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>

Species	Abund	Status	Habitat or Locality
<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	UC	summer	open forest
<b>White-tailed Kite</b> <i>Elanus leucurus</i>	UC	resident	open country
Snail Kite <i>Rostrhamus sociabilis</i>	X	vagrant	marshes
Double-toothed Kite <i>Harpagus bidentatus</i>	UC	resident	rainforest
Mississippi Kite <i>Ictinia mississippiensis</i>	O	migrant	coastal
Plumbeous Kite <i>Ictinia plumbea</i>	UC	summer	open country
Northern Harrier <i>Circus cyaneus</i>	O	winter	open country
Sharp-shinned Hawk <i>Accipiter striatus</i>	O	migrant	open forest
Cooper's Hawk <i>Accipiter cooperii</i>	O	migrant	open forest
<b>Bicolored Hawk</b> <i>Accipiter bicolor</i>	UC	resident	rainforest
Crane Hawk <i>Geranoospiza caerulescens</i>	R	resident	open forest
<b>White Hawk</b> <i>Leucopternis albicollis</i>	UC	resident	rainforest
<b>Gray Hawk</b> <i>Asturina nitida</i>	C	resident	forest edge
<b>Common Black-Hawk</b> <i>Buteogallus anthracinus</i>	C	resident	widespread
Great Black-Hawk <i>Buteogallus urubitinga</i>	UC	resident	marshes, lagoons
Solitary Eagle <i>Harpohaliaetus solitarius</i>	R	resident	mountains
<b>Roadside Hawk</b> <i>Buteo magnirostris</i>	C	resident	widespread
Broad-winged Hawk <i>Buteo platypterus</i>	O	migrant	open country
<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	C	resident	open country
Swainson's Hawk <i>Buteo swainsoni</i>	X	vagrant	Big Falls
White-tailed Hawk <i>Buteo albicaudatus</i>	O	visitor	open country
Zone-tailed Hawk <i>Buteo albonotatus</i>	O	winter	open country
Red-tailed Hawk <i>Buteo jamaicensis</i>	X	vagrant	Payne's Creek
Crested Eagle <i>Morphnus guianensis</i>	R	resident	rainforest
Harpy Eagle <i>Harpia harpyja</i>	R	resident	rainforest
Black-and-white Hawk-Eagle <i>Spizastur melanoleucus</i>	R	resident	mountains
<b>Black Hawk-Eagle</b> <i>Spizaetus tyrannus</i>	UC	resident	open forest
<b>Ornate Hawk-Eagle</b> <i>Spizaetus ornatus</i>	R	resident	rainforest
Barred Forest-Falcon <i>Micrastur ruficollis</i>	UC	resident	rainforest
<b>Collared Forest-Falcon</b> <i>Micrastur semitorquatus</i>	C	resident	open forest
Crested Caracara <i>Caracara cheriway</i>	X	vagrant	open country
<b>Laughing Falcon</b> <i>Herpetotheres cachinnans</i>	C	resident	open forest
American Kestrel <i>Falco sparverius</i>	UC	winter	open country
Merlin <i>Falco columbarius</i>	UC	migrant	mostly coastal, cayes
Aplomado Falcon <i>Falco femoralis</i>	X	vagrant	Punta Gorda (pines)
<b>Bat Falcon</b> <i>Falco rufigularis</i>	C	resident	widespread
Orange-breasted Falcon <i>Falco deiroleucus</i>	X	vagrant	open forest
Peregrine Falcon <i>Falco peregrinus</i>	UC	winter	open country
<b>Plain Chachalaca</b> <i>Ortalis vetula</i>	C	resident	forest edge
Crested Guan <i>Penelope purpurascens</i>	UC	resident	rainforest
<b>Great Curassow</b> <i>Crax rubra</i>	UC	resident	rainforest
Black-throated Bobwhite <i>Colinus nigrogularis</i>	UC	resident	savanna
Spotted Wood-Quail <i>Odontophorus guttatus</i>	UC	resident	rainforest
<b>Ruddy Crane</b> <i>Laterallus ruber</i>	C	resident	marshes, fields
Gray-breasted Crane <i>Laterallus exilis</i>	L	resident	marshes
Black Rail <i>Laterallus jamaicensis</i>	X	vagrant	ricefields
Clapper Rail <i>Rallus longirostris</i>	L	visitor	mangroves
Rufous-necked Wood-Rail <i>Aramides axillaris</i>	L	resident?	mangroves
Gray-necked Wood-Rail <i>Aramides cajanea</i>	UC	resident	forest
Uniform Crane <i>Amaurolimnas concolor</i>	R	resident	swamp forest
Sora <i>Porzana carolina</i>	C	winter	marshes
Spotted Rail <i>Pardirallus maculatus</i>	X	vagrant	marshes
Purple Gallinule <i>Porphyrio martinica</i>	L	resident?	marshes
Common Moorhen <i>Gallinula chloropus</i>	UC	winter	marshes
American Coot <i>Fulica americana</i>	UC	winter	ponds, lagoons
<b>Sungrebe</b> <i>Heliornis fulica</i>	UC	resident	rivers

Species	Abund	Status	Habitat or Locality
<b>Limpkin <i>Aramus guarauna</i></b>	<b>UC</b>	<b>resident</b>	<b>wetlands</b>
Black-bellied Plover <i>Pluvialis squatarola</i>	C	winter	shrimp farms
American Golden-Plover <i>Pluvialis dominica</i>	O	migrant	savanna
Collared Plover <i>Charadrius collaris</i>	O	visitor	shrimp farms
Wilson's Plover <i>Charadrius wilsonia</i>	C	winter	beaches
Semipalmated Plover <i>Charadrius semipalmatus</i>	C	winter	mudflats
<b>Killdeer <i>Charadrius vociferus</i></b>	<b>C</b>	<b>winter</b>	<b>fields</b>
American Oystercatcher <i>Haematopus palliatus</i>	X	vagrant	beaches
Black-necked Stilt <i>Himantopus mexicanus</i>	C	winter	marshes
American Avocet <i>Recurvirostra americana</i>	X	vagrant	wetlands
Northern Jacana <i>Jacana spinosa</i>	L	resident	marshes
Greater Yellowlegs <i>Tringa melanoleuca</i>	C	winter	wetlands
Lesser Yellowlegs <i>Tringa flavipes</i>	UC	winter	wetlands
Solitary Sandpiper <i>Tringa solitaria</i>	UC	winter	wetlands
Willet <i>Catoptrophorus semipalmatus</i>	UC	winter	beaches
<b>Spotted Sandpiper <i>Actitis macularia</i></b>	<b>C</b>	<b>winter</b>	<b>wetlands</b>
Upland Sandpiper <i>Bartramia longicauda</i>	X	vagrant	Sapodilla Cayes
Whimbrel <i>Numenius phaeopus</i>	O	migrant	beaches
Hudsonian Godwit <i>Limosa haemastica</i>	X	vagrant	shrimp farms
Ruddy Turnstone <i>Arenaria interpres</i>	C	winter	cayes
Sanderling <i>Calidris alba</i>	UC	winter	beaches
Semipalmated Sandpiper <i>Calidris pusilla</i>	C	migrant	mudflats
Western Sandpiper <i>Calidris mauri</i>	VC	winter	mudflats
Least Sandpiper <i>Calidris minutilla</i>	VC	winter	wetlands
White-rumped Sandpiper <i>Calidris fuscicollis</i>	UC	migrant	wetlands
Pectoral Sandpiper <i>Calidris melanotos</i>	UC	migrant	wetlands
Dunlin <i>Calidris alpina</i>	X	vagrant	shrimp farms
Stilt Sandpiper <i>Calidris himantopus</i>	O	migrant	shrimp farms
Buff-breasted Sandpiper <i>Tryngites subruficollis</i>	X	vagrant	shrimp farms
Short-billed Dowitcher <i>Limnodromus griseus</i>	C	winter	coastal wetlands
Long-billed Dowitcher <i>Limnodromus scolopaceus</i>	UC	winter	marshes
Wilson's Snipe <i>Gallinago delicata</i>	UC	winter	marshes
Wilson's Phalarope <i>Phalaropus tricolor</i>	X	vagrant	shrimp farms
Pomarine Jaeger <i>Stercorarius pomarinus</i>	O	visitor	ocean
Laughing Gull <i>Larus atricilla</i>	C	visitor	coastline, cayes
Franklin's Gull <i>Larus pipixcan</i>	O	migrant	coastline
Ring-billed Gull <i>Larus delawarensis</i>	O	winter	beaches
Herring Gull <i>Larus argentatus</i>	O	winter	beaches
Gull-billed Tern <i>Sterna nilotica</i>	O	migrant	shrimp farms
Caspian Tern <i>Sterna caspia</i>	O	migrant	shrimp farms
Royal Tern <i>Sterna maxima</i>	C	visitor	coastline, cayes
Sandwich Tern <i>Sterna sandvicensis</i>	VC	visitor	coastline, cayes
Roseate Tern <i>Sterna dougallii</i>	O	summer	ocean
Common Tern <i>Sterna hirundo</i>	O	migrant	ocean
Forster's Tern <i>Sterna forsteri</i>	O	winter	coastline
Least Tern <i>Sterna antillarum</i>	UC	summer	coastline
Bridled Tern <i>Sterna anaethetus</i>	UC	summer	ocean
Sooty Tern <i>Sterna fuscata</i>	VC	summer	Snake Cayes
Black Tern <i>Chlidonias niger</i>	C	migrant	ocean
Brown Noddy <i>Anous stolidus</i>	O	visitor	ocean
Black Skimmer <i>Rynchops niger</i>	X	vagrant	beaches
Rock Dove <i>Columba livia</i>	VC	resident	urban areas
<b>Pale-vented Pigeon <i>Columba cayennensis</i></b>	<b>C</b>	<b>resident</b>	<b>widespread</b>
<b>Scaled Pigeon <i>Columba speciosa</i></b>	<b>UC</b>	<b>resident</b>	<b>open forest</b>
White-crowned Pigeon <i>Columba leucocephala</i>	UC	resident	cayes
Red-billed Pigeon <i>Columba flavirostris</i>	O	visitor	open forest

Species	Abund	Status	Habitat or Locality
<b>Short-billed Pigeon</b> <i>Columba nigrirostris</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
White-winged Dove <i>Zenaida asiatica</i>	UC	migrant	open country
Mourning Dove <i>Zenaida macroura</i>	UC	migrant	open country
Inca Dove <i>Columbina inca</i>	X	vagrant	Punta Gorda
Common Ground-Dove <i>Columbina passerina</i>	O	visitor	open country
<b>Plain-breasted Ground-Dove</b> <i>Columbina minuta</i>	<b>C</b>	<b>resident</b>	<b>open country</b>
<b>Ruddy Ground-Dove</b> <i>Columbina talpacoti</i>	<b>VC</b>	<b>resident</b>	<b>open country</b>
<b>Blue Ground-Dove</b> <i>Claravis pretiosa</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>White-tipped Dove</b> <i>Leptotila verreauxi</i>	<b>L</b>	<b>resident</b>	<b>open forest</b>
<b>Gray-fronted Dove</b> <i>Leptotila rufaxilla</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Gray-chested Dove</b> <i>Leptotila cassini</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Olive-throated Parakeet</b> <i>Aratinga nana</i>	<b>C</b>	<b>resident</b>	<b>open forest</b>
Scarlet Macaw <i>Ara macao</i>	X	vagrant	pinos
<b>Brown-hooded Parrot</b> <i>Pionopsitta haematotis</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>White-crowned Parrot</b> <i>Pionus senilis</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>Red-lored Parrot</b> <i>Amazona autumnalis</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
Mealy Parrot <i>Amazona farinosa</i>	UC	resident	woodland
Yellow-headed Parrot <i>Amazona oratrix</i>	X	vagrant	pinos
Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i>	O	migrant	cayes
Yellow-billed Cuckoo <i>Coccyzus americanus</i>	C	migrant	cayes
Mangrove Cuckoo <i>Coccyzus minor</i>	O	visitor	coast, cayes
<b>Squirrel Cuckoo</b> <i>Piaya cayana</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Striped Cuckoo</b> <i>Tapera naevia</i>	<b>UC</b>	<b>resident</b>	<b>fields</b>
Pheasant Cuckoo <i>Dromococcyx phasianellus</i>	UC	resident	mountains
<b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>	<b>C</b>	<b>resident</b>	<b>open country</b>
<b>Barn Owl</b> <i>Tyto alba</i>	<b>UC</b>	<b>resident</b>	<b>open country</b>
<b>Vermiculated Screech-Owl</b> <i>Otus guatemalae</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Crested Owl <i>Lophotrix cristata</i>	UC	resident	mountains
Spectacled Owl <i>Pulsatrix perspicillata</i>	UC	resident	mountains
Great Horned Owl <i>Bubo virginianus</i>	X	vagrant	Big Falls
Central American Pygmy-Owl <i>Glaucidium griseiceps</i>	UC	resident	foothills & mtns
Ferruginous Pygmy-Owl <i>Glaucidium brasilianum</i>	FC	resident	mountains
Burrowing Owl <i>Athene cunicularia</i>	X	vagrant	Indian Creek
<b>Mottled Owl</b> <i>Ciccaba virgata</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>Black-and-white Owl</b> <i>Ciccaba nigrolineata</i>	<b>UC</b>	<b>resident</b>	<b>mountains</b>
Stygian Owl <i>Asio stygius</i>	UC	resident	pinos
Short-eared Owl <i>Asio flammeus</i>	X	vagrant	shrimp farms
<b>Striped Owl</b> <i>Pseudoscops clamator</i>	<b>UC</b>	<b>resident</b>	<b>forest edge</b>
<b>Lesser Nighthawk</b> <i>Chordeiles acutipennis</i>	<b>C</b>	<b>migrant</b>	<b>open country</b>
<b>Common Nighthawk</b> <i>Chordeiles minor</i>	<b>C</b>	<b>migrant</b>	<b>open country</b>
<b>Common Pauraque</b> <i>Nyctidromus albicollis</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
Chuck-will's-widow <i>Caprimulgus carolinensis</i>	UC	migrant	cayes
Yucatan Nightjar <i>Caprimulgus badius</i>	X	vagrant	Punta Gorda
<b>Whip-poor-will</b> <i>Caprimulgus vociferus</i>	<b>X</b>	<b>vagrant</b>	<b>Punta Gorda</b>
<b>Great Potoo</b> <i>Nyctibius grandis</i>	<b>X</b>	<b>vagrant</b>	<b>Rio Grande</b>
Northern Potoo <i>Nyctibius jamaicensis</i>	UC	resident	open forest
<b>White-collared Swift</b> <i>Streptoprocne zonaris</i>	<b>C</b>	<b>resident</b>	<b>aerial</b>
Chimney Swift <i>Chaetura pelagica</i>	C	migrant	aerial
<b>Vaux's Swift</b> <i>Chaetura vauxi</i>	<b>C</b>	<b>resident</b>	<b>aerial</b>
<b>Lesser Swallow-tailed Swift</b> <i>Panyptila cayennensis</i>	<b>C</b>	<b>resident</b>	<b>aerial</b>
<b>Band-tailed Barbthroat</b> <i>Threnetes ruckeri</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Long-billed Hermit</b> <i>Phaethornis longirostris</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Stripe-throated Hermit</b> <i>Phaethornis striigularis</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Scaly-breasted Hummingbird</b> <i>Phaeochroa cuvierii</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Wedge-tailed Sabrewing <i>Campylopterus curvipennis</i>	FC	resident	mountains

Species	Abund	Status	Habitat or Locality
Violet Sabrewing <i>Campylopterus hemileucurus</i>	FC	resident	foothills & mtns
<b>White-necked Jacobin</b> <i>Florisuga mellivora</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Brown Violet-ear <i>Colibri delphinae</i>	UC	resident	mountains
<b>Green-breasted Mango</b> <i>Anthracothorax prevostii</i>	<b>C</b>	<b>resident</b>	<b>widespread</b>
Black-crested Coquette <i>Lophornis helenae</i>	R	resident	rainforest
Canivet's Emerald <i>Chlorostilbon canivetii</i>	O	visitor	open forest
Violet-crowned Woodnymph <i>Thalurania colombica</i>	R	resident	foothills
Blue-throated Goldentail <i>Hylocharis eliciae</i>	X	vagrant	Lubaantun
<b>White-bellied Emerald</b> <i>Amazilia candida</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Azure-crowned Hummingbird <i>Amazilia cyanocephala</i>	C	resident	pinos & mtns
<b>Rufous-tailed Hummingbird</b> <i>Amazilia tzacatl</i>	<b>VC</b>	<b>resident</b>	<b>widespread</b>
Cinnamon Hummingbird <i>Amazilia rutila</i>	UC	resident	coast, cayes
Stripe-tailed Hummingbird <i>Eupherusa eximia</i>	VC	resident	mountains
<b>Purple-crowned Fairy</b> <i>Heliophryx barroti</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Long-billed Starthroat <i>Heliomaster longirostris</i>	X	vagrant	Big Falls
<b>Ruby-throated Hummingbird</b> <i>Archilochus colubris</i>	<b>UC</b>	<b>winter</b>	<b>widespread</b>
<b>Black-headed Trogon</b> <i>Trogon melanocephalus</i>	<b>C</b>	<b>resident</b>	<b>widespread</b>
<b>Violaceous Trogon</b> <i>Trogon violaceus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Collared Trogon <i>Trogon collaris</i>	UC	resident	rainforest
<b>Slaty-tailed Trogon</b> <i>Trogon massena</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Tody Motmot</b> <i>Hylomanes momotula</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Blue-crowned Motmot</b> <i>Momotus momota</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Keel-billed Motmot <i>Electron carinatum</i>	UC	resident	foothills & mtns
<b>Ringed Kingfisher</b> <i>Ceryle torquata</i>	<b>C</b>	<b>resident</b>	<b>wetlands</b>
<b>Belted Kingfisher</b> <i>Ceryle alcyon</i>	<b>C</b>	<b>winter</b>	<b>wetlands</b>
<b>Amazon Kingfisher</b> <i>Chloroceryle amazona</i>	<b>UC</b>	<b>resident</b>	<b>wetlands</b>
<b>Green Kingfisher</b> <i>Chloroceryle americana</i>	<b>C</b>	<b>resident</b>	<b>wetlands</b>
<b>American Pygmy Kingfisher</b> <i>Chloroceryle aenea</i>	<b>UC</b>	<b>resident</b>	<b>wetlands</b>
<b>White-necked Puffbird</b> <i>Notharchus macrorhynchos</i>	<b>UC</b>	<b>resident</b>	<b>open forest</b>
<b>White-whiskered Puffbird</b> <i>Malacoptila panamensis</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Rufous-tailed Jacamar <i>Galbula ruficauda</i>	UC	resident	rainforest
<b>Emerald Toucanet</b> <i>Aulacorhynchus prasinus</i>	<b>C</b>	<b>resident</b>	<b>mountains</b>
<b>Collared Aracari</b> <i>Pteroglossus torquatus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Keel-billed Toucan</b> <i>Ramphastos sulfuratus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Acorn Woodpecker <i>Melanerpes formicivorus</i>	C	resident	pinos
<b>Black-cheeked Woodpecker</b> <i>Melanerpes pucherani</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Golden-fronted Woodpecker</b> <i>Melanerpes aurifrons</i>	<b>VC</b>	<b>resident</b>	<b>open forest</b>
<b>Yellow-bellied Sapsucker</b> <i>Sphyrapicus varius</i>	<b>UC</b>	<b>winter</b>	<b>woodland</b>
Ladder-backed Woodpecker <i>Picoides scalaris</i>	UC	resident	pinos
<b>Smoky-brown Woodpecker</b> <i>Veniliornis fumigatus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Golden-olive Woodpecker</b> <i>Piculus rubiginosus</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Chestnut-colored Woodpecker</b> <i>Celeus castaneus</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Lineated Woodpecker</b> <i>Dryocopus lineatus</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>Pale-billed Woodpecker</b> <i>Campephilus guatemalensis</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>Rufous-breasted Spinetail</b> <i>Synallaxis erythrothorax</i>	<b>C</b>	<b>resident</b>	<b>scrub</b>
Scaly-throated Foliage-gleaner <i>Anabacerthia variegaticeps</i>	L	resident	mountains
Buff-throated Foliage-gleaner <i>Automolus ochrolaemus</i>	C	resident	rainforest
<b>Plain Xenops</b> <i>Xenops minutus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Tawny-throated Leaf-tosser <i>Sclerurus mexicanus</i>	UC	resident	mountains
<b>Scaly-throated Leaf-tosser</b> <i>Sclerurus guatemalensis</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Tawny-winged Woodcreeper</b> <i>Dendrocincla anabatina</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Ruddy Woodcreeper</b> <i>Dendrocincla homochroa</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Olivaceous Woodcreeper</b> <i>Sittasomus griseicapillus</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
<b>Wedge-billed Woodcreeper</b> <i>Glyphorhynchus spirurus</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Strong-billed Woodcreeper <i>Xiphocolaptes promeropirhynchus</i>	UC	resident	foothills & mtns
<b>Northern Barred-Woodcreeper</b> <i>Dendrocolaptes sanctithomae</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>

Species	Abund	Status	Habitat or Locality
<b>Ivory-billed Woodcreeper</b> <i>Xiphorhynchus flavigaster</i>	C	resident	woodland
Spotted Woodcreeper <i>Xiphorhynchus erythropygius</i>	UC	resident	mountains
<b>Streak-headed Woodcreeper</b> <i>Lepidocolaptes souleyetii</i>	UC	resident	rainforest
<b>Great Antshrike</b> <i>Taraba major</i>	UC	resident	forest edge
<b>Barred Antshrike</b> <i>Thamnophilus doliatus</i>	C	resident	scrub
<b>Western Slaty-Antshrike</b> <i>Thamnophilus atrinucha</i>	C	resident	coastal rainforest
Russet Antshrike <i>Thamnistes anabatinus</i>	UC	resident	foothills & mtns
Plain Antvireo <i>Dysithamnus mentalis</i>	UC	resident	mountains
Slaty Antwren <i>Myrmotherula schisticolor</i>	UC	resident	mountains
<b>Dot-winged Antwren</b> <i>Microrhopias quixensis</i>	C	resident	rainforest
<b>Dusky Antbird</b> <i>Cercomacra tyrannina</i>	C	resident	scrub
Bare-crowned Antbird <i>Gymnocichla nudiceps</i>	R	resident	scrub
<b>Black-faced Antthrush</b> <i>Formicarius analis</i>	C	resident	rainforest
<b>Yellow-bellied Tyrannulet</b> <i>Ornithion semiflavum</i>	C	resident	rainforest
<b>Northern Beardless-Tyrannulet</b> <i>Camptostoma imberbe</i>	R	resident	forest edge
<b>Greenish Elaenia</b> <i>Myiopagis viridicata</i>	C	resident	rainforest
<b>Yellow-bellied Elaenia</b> <i>Elaenia flavogaster</i>	C	resident	widespread
<b>Ochre-bellied Flycatcher</b> <i>Mionectes oleagineus</i>	C	resident	rainforest
<b>Sepia-capped Flycatcher</b> <i>Leptopogon amaurocephalus</i>	C	resident	rainforest
<b>Paltry Tyrannulet</b> <i>Zimmerius vilissimus</i>	UC	resident	forest edge
<b>Northern Bentbill</b> <i>Oncostoma cinereigulare</i>	C	resident	rainforest
<b>Slate-headed Tody-Flycatcher</b> <i>Poecilatriccus sylvia</i>	UC	resident	scrub
<b>Common Tody-Flycatcher</b> <i>Todirostrum cinereum</i>	C	resident	open country
Eye-ringed Flatbill <i>Rhynchocyclus brevirostris</i>	UC	resident	rainforest
<b>Yellow-olive Flycatcher</b> <i>Tolmomyias sulphurescens</i>	C	resident	rainforest
<b>Stub-tailed Spadebill</b> <i>Platyrinchus cancrominus</i>	C	resident	rainforest
<b>Royal Flycatcher</b> <i>Onychorhynchus coronatus</i>	UC	resident	rainforest
Ruddy-tailed Flycatcher <i>Terenotriccus erythrurus</i>	R	resident	rainforest
Sulphur-rumped Flycatcher <i>Myiobius sulphureipygius</i>	C	resident	rainforest
<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	UC	migrant	forest edge
<b>Eastern Wood-Pewee</b> <i>Contopus virens</i>	VC	migrant	woodland
<b>Tropical Pewee</b> <i>Contopus cinereus</i>	C	resident	woodland
<b>Yellow-bellied Flycatcher</b> <i>Empidonax flaviventris</i>	C	winter	rainforest
<b>Acadian Flycatcher</b> <i>Empidonax virescens</i>	UC	migrant	widespread
Alder Flycatcher <i>Empidonax alnorum</i>	UC	migrant	widespread
Willow Flycatcher <i>Empidonax traillii</i>	UC	migrant	widespread
White-throated Flycatcher <i>Empidonax albigularis</i>	R	winter	marshes
<b>Least Flycatcher</b> <i>Empidonax minimus</i>	C	winter	forest edge
Black Phoebe <i>Sayornis nigricans</i>	UC	resident	foothill streams
Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	UC	resident	savanna
<b>Bright-rumped Attila</b> <i>Attila spadiceus</i>	C	resident	rainforest
<b>Rufous Mourner</b> <i>Rhytipterna holerythra</i>	UC	resident	rainforest
<b>Dusky-capped Flycatcher</b> <i>Myiarchus tuberculifer</i>	C	resident	woodland
<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	C	winter	rainforest
<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	C	summer	open forest
<b>Great Kiskadee</b> <i>Pitangus sulphuratus</i>	VC	resident	open country
<b>Boat-billed Flycatcher</b> <i>Megarynchus pitangua</i>	C	resident	forest edge
<b>Social Flycatcher</b> <i>Myiozetetes similis</i>	VC	resident	widespread
Streaked Flycatcher <i>Myiodynastes maculatus</i>	UC	summer	foothills & mtns
<b>Sulphur-bellied Flycatcher</b> <i>Myiodynastes luteiventris</i>	C	summer	woodland
Piratic Flycatcher <i>Legatus leucophaeus</i>	UC	summer	woodland
<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	VC	resident	open country
<b>Couch's Kingbird</b> <i>Tyrannus couchii</i>	C	resident	open country
Western Kingbird <i>Tyrannus verticalis</i>	X	vagrant	Punta Gorda
<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	VC	migrant	primarily coastal
Scissor-tailed Flycatcher <i>Tyrannus forficatus</i>	UC	winter	open country

Species	Abund	Status	Habitat or Locality
Fork-tailed Flycatcher <i>Tyrannus savana</i>	O	visitor	open country (pines)
<b>Thrush-like Schiffornis</b> <i>Schiffornis turdinus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Rufous Piha <i>Lipaugus unirufus</i>	UC	resident	rainforest
Speckled Mourner <i>Laniocera rufescens</i>	R	resident	foothills & mtns
Cinnamon Becard <i>Pachyramphus cinnamomeus</i>	UC	resident	rainforest
<b>White-winged Becard</b> <i>Pachyramphus polychopterus</i>	<b>UC</b>	<b>resident</b>	<b>forest edge</b>
<b>Gray-collared Becard</b> <i>Pachyramphus major</i>	<b>R</b>	<b>resident</b>	<b>forest edge</b>
<b>Rose-throated Becard</b> <i>Pachyramphus aglaiae</i>	<b>UC</b>	<b>resident</b>	<b>forest edge</b>
<b>Masked Tityra</b> <i>Tityra semifasciata</i>	<b>C</b>	<b>resident</b>	<b>forest edge</b>
<b>Black-crowned Tityra</b> <i>Tityra inquisitor</i>	<b>UC</b>	<b>resident</b>	<b>forest edge</b>
<b>Lovely Cotinga</b> <i>Cotinga amabilis</i>	<b>R</b>	<b>resident</b>	<b>foothills &amp; mtns</b>
<b>White-collared Manakin</b> <i>Manacus candei</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
<b>Red-capped Manakin</b> <i>Pipra mentalis</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>White-eyed Vireo</b> <i>Vireo griseus</i>	<b>C</b>	<b>winter</b>	<b>widespread</b>
<b>Mangrove Vireo</b> <i>Vireo pallens</i>	<b>C</b>	<b>resident</b>	<b>forest edge</b>
<b>Yellow-throated Vireo</b> <i>Vireo flavifrons</i>	<b>C</b>	<b>winter</b>	<b>woodland</b>
Plumbeous Vireo <i>Vireo plumbeus</i>	C	resident	mountains
Warbling Vireo <i>Vireo gilvus</i>	X	vagrant	mountains
<b>Philadelphia Vireo</b> <i>Vireo philadelphicus</i>	<b>UC</b>	<b>winter</b>	<b>forest edge</b>
<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	<b>C</b>	<b>migrant</b>	<b>woodland</b>
<b>Yellow-green Vireo</b> <i>Vireo flavoviridis</i>	<b>VC</b>	<b>summer</b>	<b>woodland</b>
Yucatan Vireo <i>Vireo magister</i>	L	resident	coast, cayes
<b>Tawny-crowned Greenlet</b> <i>Hylophilus ochraceiceps</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Lesser Greenlet</b> <i>Hylophilus decurtatus</i>	<b>VC</b>	<b>resident</b>	<b>woodland</b>
Green Shrike-Vireo <i>Vireolanius pulchellus</i>	C	resident	rainforest
Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	O	visitor	forest edge
Green Jay <i>Cyanocorax yncas</i>	UC	resident	rainforest
<b>Brown Jay</b> <i>Cyanocorax morio</i>	<b>VC</b>	<b>resident</b>	<b>woodland</b>
<b>Purple Martin</b> <i>Progne subis</i>	<b>VC</b>	<b>migrant</b>	<b>open country</b>
<b>Gray-breasted Martin</b> <i>Progne chalybea</i>	<b>VC</b>	<b>summer</b>	<b>open country</b>
<b>Tree Swallow</b> <i>Tachycineta bicolor</i>	<b>UC</b>	<b>winter</b>	<b>open country</b>
<b>Mangrove Swallow</b> <i>Tachycineta albilinea</i>	<b>C</b>	<b>resident</b>	<b>rivers</b>
<b>Northern Rough-winged Swallow</b> <i>Stelgidopteryx serripennis</i>	<b>UC</b>	<b>resident</b>	<b>widespread</b>
<b>Bank Swallow</b> <i>Riparia riparia</i>	<b>C</b>	<b>migrant</b>	<b>open country</b>
<b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i>	<b>C</b>	<b>migrant</b>	<b>open country</b>
Cave Swallow <i>Petrochelidon fulva</i>	O	migrant	open country
<b>Barn Swallow</b> <i>Hirundo rustica</i>	<b>VC</b>	<b>migrant</b>	<b>open country</b>
Band-backed Wren <i>Campylorhynchus zonatus</i>	UC	resident	foothills & mtns
<b>Spot-breasted Wren</b> <i>Thryothorus maculipectus</i>	<b>C</b>	<b>resident</b>	<b>woodland</b>
Plain Wren <i>Thryothorus modestus</i>	R	resident	woodland
White-bellied Wren <i>Uropsila leucogastra</i>	L	resident	woodland
<b>House Wren</b> <i>Troglodytes aedon</i>	<b>C</b>	<b>resident</b>	<b>urban areas</b>
Sedge Wren <i>Cistothorus platensis</i>	C	resident	savanna
<b>White-breasted Wood-Wren</b> <i>Henicorhina leucosticta</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
Nightingale Wren <i>Microcerculus philomela</i>	L	resident	rainforest
<b>Long-billed Gnatwren</b> <i>Ramphocaenus melanurus</i>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	<b>UC</b>	<b>winter</b>	<b>woodland</b>
<b>Tropical Gnatcatcher</b> <i>Polioptila plumbea</i>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Slate-colored Solitaire <i>Myadestes unicolor</i>	VC	resident	mountains
Veery <i>Catharus fuscescens</i>	UC	migrant	woodland
Gray-cheeked Thrush <i>Catharus minimus</i>	UC	migrant	woodland
<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	<b>C</b>	<b>migrant</b>	<b>woodland</b>
<b>Wood Thrush</b> <i>Hylocichla mustelina</i>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>Clay-colored Robin</b> <i>Turdus grayi</i>	<b>C</b>	<b>resident</b>	<b>open forest</b>
<b>White-throated Robin</b> <i>Turdus assimilis</i>	<b>O</b>	<b>visitor</b>	<b>rainforest</b>
<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	<b>C</b>	<b>winter</b>	<b>woodland</b>

Species	Abund	Status	Habitat or Locality
Black Catbird <i>Melanoptila glabrirostris</i>	X	vagrant	Monkey River
Tropical Mockingbird <i>Mimus gilvus</i>	O	winter	open country
American Pipit <i>Anthus rubescens</i>	X	vagrant	Punta Gorda
<b>Cedar Waxwing <i>Bombycilla cedrorum</i></b>	<b>O</b>	<b>winter</b>	<b>open forest</b>
<b>Blue-winged Warbler <i>Vermivora pinus</i></b>	<b>UC</b>	<b>winter</b>	<b>woodland</b>
<b>Golden-winged Warbler <i>Vermivora chrysoptera</i></b>	<b>UC</b>	<b>winter</b>	<b>woodland</b>
<b>Tennessee Warbler <i>Vermivora peregrina</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
Nashville Warbler <i>Vermivora ruficapilla</i>	O	migrant	cayes
Northern Parula <i>Parula americana</i>	UC	winter	cayes
Tropical Parula <i>Parula pitiauyumi</i>	C	resident	mountains
<b>Yellow Warbler <i>Dendroica petechia</i></b>	<b>C</b>	<b>winter</b>	<b>widespread</b>
<b>Chestnut-sided Warbler <i>Dendroica pensylvanica</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>Magnolia Warbler <i>Dendroica magnolia</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
Cape May Warbler <i>Dendroica tigrina</i>	O	migrant	cayes
Black-throated Blue Warbler <i>Dendroica caerulescens</i>	UC	migrant	cayes
<b>Yellow-rumped Warbler <i>Dendroica coronata</i></b>	<b>O</b>	<b>winter</b>	<b>open woodland</b>
<b>Black-throated Green Warbler <i>Dendroica virens</i></b>	<b>UC</b>	<b>winter</b>	<b>rainforest</b>
<b>Blackburnian Warbler <i>Dendroica fusca</i></b>	<b>UC</b>	<b>migrant</b>	<b>woodland</b>
<b>Yellow-throated Warbler <i>Dendroica dominica</i></b>	<b>C</b>	<b>winter</b>	<b>urban, palms</b>
Grace's Warbler <i>Dendroica graciae</i>	C	resident	pinos
Prairie Warbler <i>Dendroica discolor</i>	UC	migrant	cayes
Palm Warbler <i>Dendroica palmarum</i>	UC	winter	cayes
<b>Bay-breasted Warbler <i>Dendroica castanea</i></b>	<b>UC</b>	<b>migrant</b>	<b>woodland</b>
Blackpoll Warbler <i>Dendroica striata</i>	O	migrant	cayes
Cerulean Warbler <i>Dendroica cerulea</i>	O	migrant	woodland
<b>Black-and-white Warbler <i>Mniotilta varia</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>American Redstart <i>Setophaga ruticilla</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>Prothonotary Warbler <i>Protonotaria citrea</i></b>	<b>UC</b>	<b>migrant</b>	<b>rivers, swamps</b>
<b>Worm-eating Warbler <i>Helmitheros vermivorus</i></b>	<b>UC</b>	<b>winter</b>	<b>rainforest</b>
Swainson's Warbler <i>Limnithlypis swainsonii</i>	O	winter	woodland
<b>Ovenbird <i>Seiurus aurocapillus</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>Northern Waterthrush <i>Seiurus noveboracensis</i></b>	<b>C</b>	<b>winter</b>	<b>streams, ponds</b>
<b>Louisiana Waterthrush <i>Seiurus motacilla</i></b>	<b>UC</b>	<b>winter</b>	<b>streams, ponds</b>
<b>Kentucky Warbler <i>Oporornis formosus</i></b>	<b>C</b>	<b>winter</b>	<b>rainforest</b>
Mourning Warbler <i>Oporornis philadelphia</i>	UC	migrant	cayes
<b>Common Yellowthroat <i>Geothlypis trichas</i></b>	<b>C</b>	<b>winter</b>	<b>wetlands</b>
Gray-crowned Yellowthroat <i>Geothlypis poliocephala</i>	L	resident	marshes, forest edge
<b>Hooded Warbler <i>Wilsonia citrina</i></b>	<b>C</b>	<b>winter</b>	<b>rainforest</b>
<b>Wilson's Warbler <i>Wilsonia pusilla</i></b>	<b>UC</b>	<b>winter</b>	<b>woodland</b>
<b>Canada Warbler <i>Wilsonia canadensis</i></b>	<b>O</b>	<b>migrant</b>	<b>mostly cayes</b>
Golden-crowned Warbler <i>Basileuterus culicivorus</i>	C	resident	foothills & mtns
Rufous-capped Warbler <i>Basileuterus rufifrons</i>	L	resident	forest edge
<b>Yellow-breasted Chat <i>Icteria virens</i></b>	<b>C</b>	<b>winter</b>	<b>forest edge, scrub</b>
Gray-throated Chat <i>Granatellus sallaei</i>	L	resident	woodland
Bananaquit <i>Coereba flaveola</i>	UC	resident	woodland
Common Bush-Tanager <i>Chlorospingus ophthalmicus</i>	VC	resident	mountains
<b>Gray-headed Tanager <i>Eucometis penicillata</i></b>	<b>UC</b>	<b>resident</b>	<b>rainforest</b>
Black-throated Shrike-Tanager <i>Lanio aurantius</i>	UC	resident	rainforest
<b>Red-crowned Ant-Tanager <i>Habia rubica</i></b>	<b>C</b>	<b>resident</b>	<b>rainforest</b>
<b>Red-throated Ant-Tanager <i>Habia fuscicauda</i></b>	<b>VC</b>	<b>resident</b>	<b>woodland</b>
Hepatic Tanager <i>Piranga flava</i>	C	resident	pinos
<b>Summer Tanager <i>Piranga rubra</i></b>	<b>C</b>	<b>winter</b>	<b>woodland</b>
<b>Scarlet Tanager <i>Piranga olivacea</i></b>	<b>C</b>	<b>migrant</b>	<b>woodland</b>
Western Tanager <i>Piranga ludoviciana</i>	X	vagrant	The Dump
White-winged Tanager <i>Piranga leucoptera</i>	UC	resident	mountains
<b>Crimson-collared Tanager <i>Ramphocelus sanguinolentus</i></b>	<b>UC</b>	<b>resident</b>	<b>forest edge</b>



Species	Abund	Status	Habitat or Locality
<b>Passerini's Tanager</b> <i>Ramphocelus passerinii</i>	C	resident	forest edge, scrub
<b>Blue-gray Tanager</b> <i>Thraupis episcopus</i>	C	resident	open woodland
<b>Yellow-winged Tanager</b> <i>Thraupis abbas</i>	C	resident	open woodland
<b>Scrub Euphonia</b> <i>Euphonia affinis</i>	UC	resident	forest edge
<b>Yellow-throated Euphonia</b> <i>Euphonia hirundinacea</i>	C	resident	widespread
<i>Elegant Euphonia</i> <i>Euphonia elegantissima</i>	R	resident	mountains
<b>Olive-backed Euphonia</b> <i>Euphonia gouldi</i>	C	resident	rainforest
<b>White-vented Euphonia</b> <i>Euphonia minuta</i>	UC	resident	rainforest
<b>Golden-hooded Tanager</b> <i>Tangara larvata</i>	UC	resident	woodland
<b>Green Honeycreeper</b> <i>Chlorophanes spiza</i>	UC	resident	rainforest
<i>Shining Honeycreeper</i> <i>Cyanerpes lucidus</i>	UC	resident	mountains
<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	C	resident	woodland
<b>Blue-black Grassquit</b> <i>Volatinia jacarina</i>	VC	resident	fields, marshes
<i>Slate-colored Seedeater</i> <i>Sporophila schistacea</i>	O	resident	open woodland
<b>Variable Seedeater</b> <i>Sporophila americana</i>	C	resident	open country
<b>White-collared Seedeater</b> <i>Sporophila torqueola</i>	VC	resident	open country
<b>Thick-billed Seed-Finch</b> <i>Oryzoborus funereus</i>	C	resident	forest edge
<i>Yellow-faced Grassquit</i> <i>Tiaris olivacea</i>	C	resident	open areas
<i>Grassland Yellow-Finch</i> <i>Sicalis luteola</i>	X	vagrant	Punta Gorda (savanna)
<b>Orange-billed Sparrow</b> <i>Arremon aurantiirostris</i>	C	resident	rainforest
<b>Green-backed Sparrow</b> <i>Arremonops chloronotus</i>	C	resident	forest edge
<i>Botteri's Sparrow</i> <i>Aimophila botterii</i>	X	formerly	savanna
<i>Rusty Sparrow</i> <i>Aimophila rufescens</i>	C	resident	pin
<i>Chipping Sparrow</i> <i>Spizella passerina</i>	C	resident	pin
<i>Clay-colored Sparrow</i> <i>Spizella pallida</i>	X	vagrant	Payne's Creek
<i>Vesper Sparrow</i> <i>Poocetes gramineus</i>	X	vagrant	Punta Gorda
<i>Lark Sparrow</i> <i>Chondestes grammacus</i>	O	winter	open country
<i>Savannah Sparrow</i> <i>Passerculus sandwichensis</i>	O	winter	fields
<i>Grasshopper Sparrow</i> <i>Ammodramus savannarum</i>	C	resident	savanna
<i>Lincoln's Sparrow</i> <i>Melospiza lincolni</i>	O	migrant	cayes
<b>Grayish Saltator</b> <i>Saltator coerulescens</i>	C	resident	forest edge
<b>Buff-throated Saltator</b> <i>Saltator maximus</i>	C	resident	forest edge
<b>Black-headed Saltator</b> <i>Saltator atriceps</i>	C	resident	forest edge
<b>Black-faced Grosbeak</b> <i>Caryothraustes poliogaster</i>	C	resident	rainforest
<b>Rose-breasted Grosbeak</b> <i>Pheucticus ludovicianus</i>	C	migrant	woodland
<b>Blue-black Grosbeak</b> <i>Cyanocompsa cyanoides</i>	C	resident	rainforest
<b>Blue Grosbeak</b> <i>Passerina caerulea</i>	C	winter	open areas
<b>Indigo Bunting</b> <i>Passerina cyanea</i>	C	winter	open areas
<b>Painted Bunting</b> <i>Passerina ciris</i>	O	winter	open areas
<i>Dickcissel</i> <i>Spiza americana</i>	UC	migrant	fields, marshes
<i>Bobolink</i> <i>Dolichonyx oryzivorus</i>	O	migrant	mostly cayes
<i>Red-winged Blackbird</i> <i>Agelaius phoeniceus</i>	X	vagrant	marshes
<i>Eastern Meadowlark</i> <i>Sturnella magna</i>	C	resident	savanna
<b>Melodious Blackbird</b> <i>Dives dives</i>	VC	resident	widespread
<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	VC	resident	urban areas
<i>Shiny Cowbird</i> <i>Molothrus bonariensis</i>	X	vagrant	urban areas
<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	C	resident	urban areas
<b>Giant Cowbird</b> <i>Molothrus oryzivorus</i>	UC	resident	open woodland
<b>Black-cowled Oriole</b> <i>Icterus prothemelas</i>	C	resident	woodland
<b>Orchard Oriole</b> <i>Icterus spurius</i>	C	winter	widespread
<i>Yellow-backed Oriole</i> <i>Icterus chrysater</i>	C	resident	pin
<b>Yellow-tailed Oriole</b> <i>Icterus mesomelas</i>	UC	resident	woodland near rivers
<i>Spot-breasted Oriole</i> <i>Icterus pectoralis</i>	X	vagrant	urban areas
<b>Baltimore Oriole</b> <i>Icterus galbula</i>	C	winter	woodland
<b>Yellow-billed Cacique</b> <i>Amblycercus holosericeus</i>	C	resident	rainforest
<i>Chestnut-headed Oropendola</i> <i>Psarocolius wagleri</i>	L	resident	rainforest

Species	Abund	Status	Habitat or Locality
Montezuma Oropendola <i>Psarocolius montezuma</i>	C	resident	open woodland
House Sparrow <i>Passer domesticus</i>	L	resident	Punta Gorda
<b>Abundance</b>			
VC = very common			
C = common			
UC = uncommon			
R = rare			
O = occasional (not resident)			
L = local resident (restricted distribution)			